





**NO HIGH SCHOOL COMPLETION
AGES 25-64 YEARS
(2011)
DURHAM REGION
by Health Neighbourhood**



Percentage without High School Completion	Number of Neighbourhoods
3.3% to 5.3%	(10)
5.4% to 6.8%	(10)
6.9% to 8.1%	(10)
8.5% to 11.2%	(10)
11.6% to 22.8%	(10)
Health Neighbourhood Boundaries	



Source: National Household Survey 2011, Statistics Canada.

H - Neighbourhood value 20% higher than Durham Region, L - Neighbourhood value 20% lower than Durham Region

This map has been produced from a variety of sources. The Region of Durham does not make any representations concerning the accuracy, likely results, or reliability of the use of the materials. The Region hereby disclaims all representations and warranties.


Produced by Durham Region under License with the Ontario Ministry of Natural Resources, copyright Queen's Printer for Ontario, 2005.

Digital cartography by Corporate GIS Services, The Regional Municipality of Durham, August, 2014.



No High School Completion, Ages 25-64 (2011)

Table 1: Health Neighbourhoods Indicator Summary

	↻ Lower is Better	Compared to Durham Rate		
	Percentage	Lower	Similar	Higher
Pickering	6.9%	↻		
Frenchman's Bay (P1)	8.5%			
West Rouge (P2)	5.0%	↻		
Amberlee (P3)	6.4%	↻		
Dunbarton (P4)	4.9%	↻		
Pickering City Centre (P5)	8.7%			
Brock Ridge Pickering (P6)	6.6%	↻		
Pickering North (P7)	7.9%			
Ajax	6.9%	↻		
Ajax Waterfront (A1)	5.0%	↻		
Downtown Ajax (A2)	9.8%			
Carruthers (A3)	5.6%	↻		
Central Ajax (A4)	10.5%			
Riverside-Hermitage (A5)	4.6%	↻		
Westney Heights (A6)	7.2%			
Applecroft (A7)	8.1%			
Ajax Northwest (A8)	6.8%	↻		
Ajax Northeast (A9)	5.3%	↻		
Whitby	6.0%	↻		
Whitby South (W1)	7.1%	↻		
Downtown Whitby (W2)	10.7%			
Cochrane South (W3)	6.5%	↻		
Manning (W4)	6.5%	↻		
Williamsburg (W5)	4.0%	↻		
Whitby Brock North (W6)	3.3%	↻		
Dryden-Anderson (W7)	3.9%	↻		
Dryden East (W8)	6.3%	↻		
Brooklin East (W9)	3.6%	↻		
Brooklin West (W10)	5.3%	↻		
Oshawa	14.2%			↗
Lakeview (O1)	22.4%			↗
Gibb West (O2)	20.1%			↗
Downtown Oshawa (O3)	22.8%			↗
Central Park (O4)	16.7%			↗
Grandview South (O5)	12.3%			↗
Stevenson North (O6)	12.1%			↗
Hillsdale (O7)	10.0%			
Beatrice South (O8)	11.2%			↗
Grandview North (O9)	7.4%			
Beatrice North (O10)	20.1%			↗
Oshawa Northwest (O11)	7.1%	↻		
Oshawa Northeast (O12)	7.1%			
Clarington	8.7%			
Courtice South (C1)	5.9%	↻		
Courtice North (C2)	6.9%	↻		
Bowmanville South (C3)	10.2%			
Bowmanville Central (C4)	11.6%			↗
Bowmanville North (C5)	8.0%			
Darlington (C6)	9.7%			
Clarke (C7)	9.5%			
Scugog	7.4%			
Port Perry (S1)	6.5%	↻		
Rural Scugog (S2)	8.1%			
Uxbridge	8.1%			
Urban Uxbridge (U1)	5.4%	↻		
Rural Uxbridge (U2)	11.9%			↗
Brock				
Brock (B1)	12.1%			↗
Durham Region	8.9%	Lower than Ontario		
Range	3.3% - 22.8%			
Ontario	11.0%			

Source: National Household Survey (NHS) 2011, Statistics Canada.

Note: "Lower" (down arrow) refers to at least 20% lower than the Durham Region rate, "Higher" (up arrow) refers to at least 20% higher.

No High School Completion, Ages 25-64 (2011)

Table 2: List of Health Neighbourhoods ranked from lowest to highest

Order	Health Neighbourhood	Percentage	Compared to Durham Region (Lower is Better)	Quintile
1	Whitby Brock North (W6)	3.3%	LOWER	1
2	Brooklin East (W9)	3.6%	LOWER	1
3	Dryden-Anderson (W7)	3.9%	LOWER	1
4	Williamsburg (W5)	4.0%	LOWER	1
5	Riverside-Hermitage (A5)	4.6%	LOWER	1
6	Dunbarton (P4)	4.9%	LOWER	1
7	West Rouge (P2)	5.0%	LOWER	1
8	Ajax Waterfront (A1)	5.0%	LOWER	1
9	Brooklin West (W10)	5.3%	LOWER	1
10	Ajax Northeast (A9)	5.3%	LOWER	1
11	Urban Uxbridge (U1)	5.4%	LOWER	2
12	Carruthers (A3)	5.6%	LOWER	2
13	Courtice South (C1)	5.9%	LOWER	2
14	Dryden East (W8)	6.3%	LOWER	2
15	Amberlee (P3)	6.4%	LOWER	2
16	Cochrane South (W3)	6.5%	LOWER	2
17	Port Perry (S1)	6.5%	LOWER	2
18	Manning (W4)	6.5%	LOWER	2
19	Brock Ridge Pickering (P6)	6.6%	LOWER	2
20	Ajax Northwest (A8)	6.8%	LOWER	2
21	Courtice North (C2)	6.9%	LOWER	3
22	Oshawa Northwest (O11)	7.1%	LOWER	3
23	Whitby South (W1)	7.1%	LOWER	3
24	Oshawa Northeast (O12)	7.1%	similar	3
25	Westney Heights (A6)	7.2%	similar	3
26	Grandview North (O9)	7.4%	similar	3
27	Pickering North (P7)	7.9%	similar	3
28	Bowmanville North (C5)	8.0%	similar	3
29	Applecroft (A7)	8.1%	similar	3
30	Rural Scugog (S2)	8.1%	similar	3
31	Frenchman's Bay (P1)	8.5%	similar	4
32	Pickering City Centre (P5)	8.7%	similar	4
33	Clarke (C7)	9.5%	similar	4
34	Darlington (C6)	9.7%	similar	4
35	Downtown Ajax (A2)	9.8%	similar	4
36	Hillsdale (O7)	10.0%	similar	4
37	Bowmanville South (C3)	10.2%	similar	4
38	Central Ajax (A4)	10.5%	similar	4
39	Downtown Whitby (W2)	10.7%	similar	4
40	Beatrice South (O8)	11.2%	HIGHER	4
41	Bowmanville Central (C4)	11.6%	HIGHER	5
42	Rural Uxbridge (U2)	11.9%	HIGHER	5
43	Stevenson North (O6)	12.1%	HIGHER	5
44	Brock (B1)	12.1%	HIGHER	5
45	Grandview South (O5)	12.3%	HIGHER	5
46	Central Park (O4)	16.7%	HIGHER	5
47	Beatrice North (O10)	20.1%	HIGHER	5
48	Gibb West (O2)	20.1%	HIGHER	5
49	Lakeview (O1)	22.4%	HIGHER	5
50	Downtown Oshawa (O3)	22.8%	HIGHER	5

No High School Completion, Ages 25-64 (2011)

Table 3: Percentage aged 25-64 that did not complete high school by Durham Region Municipality

Municipality	Percentage	Compared to Durham Region (Lower is Better)
Pickering	6.9%	LOWER
Ajax	6.9%	LOWER
Whitby	6.0%	LOWER
Oshawa	14.2%	HIGHER
Clarington	8.7%	similar
Scugog	7.4%	similar
Uxbridge	8.1%	similar
Brock	12.1%	HIGHER
Durham Region	8.9%	Lower than Ontario
Ontario	11.0%	

What You Need to Know

- A lower percentage of no high school completion is better for health.
- The low education rate ranges by Health Neighbourhood from 3.3% to 22.8%.
- Low education levels are generally associated with poorer health outcomes. Higher education increases the opportunity for job and income security. Low education levels are highest in many Neighbourhoods in south central Oshawa, and the Neighbourhoods of Brock, Rural Uxbridge and Bowmanville Central. Percentages are lowest in Whitby, Ajax and Pickering.

Indicator Notes

- This indicator measures the percentage aged 25-64 years that did not complete high school.
- Source: National Household Survey (NHS) 2011, Statistics Canada.
- The NHS replaced the long-form Census in 2011. As a voluntary survey, the NHS has more non-response bias than a census so there is a risk that the results are not representative of the actual population, especially in smaller areas or population groups.
- Statistics Canada uses the global non-response rate (GNR) to assess the quality of the NHS estimates for various geographies. NHS estimates for any area with a GNR greater than or equal to 50% have a high level of error and should not be released.
- The GNR ranges by Health Neighbourhood from 19.3% to 46.9%. In general, rural areas tend to have a higher GNR.
- Neighbourhoods were sorted into five groupings (quintiles) based on the percentage that did not complete high school. Approximately 10 Neighbourhoods are in each quintile.
- Lower refers to at least 20% lower than Durham Region. Higher refers to at least 20% higher.
- For more information on this indicator see, [National Household Survey Dictionary, 2011](#).

Release Date: January 2015.

For more information, refer to The Guide to Health Neighbourhoods.

If you require this information in an accessible format, contact 1-800-841-2729.